



Production & Marketing

Native Biotypes of Grasses and Forbs






**\$1.50/acre Non-competitive Oil and Gas Lease may have
NEGATIVE NON-PECUNIARY EXTERNALITIES**



**\$1.35 AUM may include
NEGATIVE NON-PECUNIARY EXTERNALITIES**







Poa secunda - Year 1

Harney

Source: South Central OR
Elevation: 4600-4800 ft.
Rainfall: 10-12 in.
Soils: Loamy Desert
Note: Rapid establishment
Large green basal leaves
Medium height



Unity

Source: Eastern OR
Elevation: 4700 ft.
Rainfall: 12-15 in.
Soils: Loamy 10-15% slope
Note: Vigorous, Yellow-green
Large golden heads
Late-maturing



Frenchmen Hills

Source: Columbia Basin WA
Elevation: 1050 ft.
Rainfall: 6-8 in.
Soils: Sandy Loam
Note: Compact crown
Tall thin heads
Very Competitive





Pseudoroegneria spicata - Year 1

Grande Ronde

Source: North Eastern OR
Elevation: 1500 ft.
Rainfall: 14-18 in.
Soils: River Terrace Slopes
Note: Vigorous, Arching heads
Yellow-green



Hawk Creek

Source: North Central WA
Elevation: 2300 ft.
Rainfall: 12-16 in.
Soils: Swale and Biscuit
Note: Long, Erect Leaves
Blue-green expression



Swauk

Source: Central Cascades WA
Elevation: 2200-2500 ft.
Rainfall: 18-24 in.
Soils: Loam and Lithosols
Note: Slow establishment
Very Blue-green





Elymus glaucus - Year 1

Mt Hood

Source: Northern Cascades, OR
Elevation: 4000 ft.
Rainfall: 30-40 in.
Soils: Poor Soil
Note: Vigorous, Arching heads
Bluish-green, Broad Leaves



Sugarloaf High

Source: Blue Mts. OR
Elevation: 4300-5300 ft.
Rainfall: 18-24 in.
Soils: Blue Mt Loamy Forest
Note: Quick Establishment
Large Leaves, Multi-Tiller



Starkey Low

Source: Blue Mts. OR
Elevation: 3800-4300 ft.
Rainfall: 18-24 in.
Soils: Blue Mt Loamy Forest
Note: Yellow-Green, Fine Leaf
Erect Growth Habit, Shorter

















www.bfinativeseeds.com

509-765-6348